SS2500 SPACE SAVER COMPACTOR







MOOVMOR

SS2500 SPACE SAVER COMPACTOR

OVERVIEW

The Moovmor SS2500 Series static compactor is part of a range of compact high performance waste recycling solutions designed and manufactured by Moovmor. Its cross ram design and short length makes it ideal for confined or difficult spaces.

STANDARD FEATURES

- Fully complaint with chem standards and dimensions
- Fully CE compliant with latest safety features
- Drop forged certified compactor clamps and hooks
- Fully enclosed hopper with viewing windows
- Built-in power pack for security and safety
- Heavy duty construction
- Adjustable PLC programmes

BENEFITS

- Easy and safe operation
- Save on waste collection costs
 - maximum payloads
- Save on labour with reduced handling
- Save running costs with reduced power consumption using our latest, high efficiency power pack designs - low carbon footprint
- 30 Years of providing waste solutions

OPTIONAL FITOUTS



Open top hopper for bulk loading



Through wall chute loading



GSM modules with performance monitoring & notification system



Enclosed hopper with interlocked access door



Auto starting systems



Text & Email GSM Notification System



Bin tipper for 120 to 1100 litre wheeled carts



Off-line power pack cooling systems



Guide rail and in-floor plates



Conveyor interfaced hoppers

SS2500 SHORT SPACE SAVER COMPACTOR

SPECIFICATION	SS2500-SHORT
COMPACTION FORCE @ 200 BAR (TONNES)	30
MOTOR POWER (kW)	5.5 kW, 16A
POWER SUPPLY	3 PH + E + N, 400V, 50HZ
STD FACTORY SET CYCLE TIME (SECS)	50
FAST CYCLE OPTIONS (SECS)	N/A
ADDITIONAL POWER PACK OPTIONS	On Request
CHARGE BOX VOLUME (M³)	1.77
CHEM VOLUME PER STROKE (M²)	1.37
CYLINDER BORE	100 x 2
COMPACTOR LENGTH (MM)	2090
COMPACTOR WIDTH (EXCLUDING CLAMPS - MM)	1667
COMPACTOR WIDTH (INCLUDING CLAMPS – MM)	2645
COMPACTOR HEIGHT (MM)	1570
CHARGE BOX LOADING HEIGHT (MM)	1290
CHAMBER WIDTH	1505
CHAMBER LENGTH	1250
CHAMBER HEIGHT	930
COMPACTOR WEIGHT	1750

Due to company policy of continued product development design and specifications are subject to change without notice. Check with your local distributor or our customer service representative for regional availability within Europe.